# **AL SALMEEN**

Gen. Contracting Est.

Tel.: (00971-2) 6720999 Fax: (00971-2) 6722335 P. O. Box: 46428 - Abu Dhabi

United Arab Emirates



# مؤسسة آل سالين

تلفون: ۹۹۹-۲۷۲(۲-۷۷۱-۰) فاكس: ۲۲۲۳۵(۲-۷۷۱-۰) ص.ب: ۲۶۲۸ – أبوظبي الامارات العربية المتحدة

Ref. ALS/SUB/6/5/03

Date:

25th May 2003.

### To Whom It May Concern:

### LETTER OF PROFICIENCY

We hereby certify and confirm that AKKILA COMPANY LIMITED / Abu Dhabi Branch was our Sub-contract from 20/06/2002. till 20/12/2002. for the Project - 5MG RESERVOIRS AT KHABISI AND SAROOJ IN AL AIN AREA – Abu Dhabi – UA.E.

AKKILA COMPANY LIMITED carried out the subcontract works as scheduled and demonstrated professional ability to conduct welding and welders qualification installing of structures and equipment, fire fighting piping installation and to different in plants piping works.

AKKILA COMPANY LIMITED employees have proved to be hard working, efficient, reliable and knowledgeable.

We have no hesitation in recommending AKKILA COMPANY LIMITED to carry out construction operations for any other company that requires their vast array of services.


Al Salmeen General Contracting Est.







### CONSORTIUM ANSALDO/E.M.I.T.



Our Rel.

Your Ref.

Date 03.11.98

### TO WHOM IT MAY CONCERN

This is to certify that Akkila Testing Service & Protective Coating (A.T.S.) has timely completed the construction of the gas holder at the Adra Sewage Treatment Plant (weight 220T) including all the mechanical works i.e., erection, welding, all N.D.T., sandblasting and painting. The tank was also successfully lifted and depressed by an air-pressure test by A.T.S.

We hereby witness to the quality execution and documentation of the job while observing the specifications in full.

ANSALDO 1./ HAIT.

### ATASSI & YACOUBIAN

NADER AND KHALDOUN ATASSI – LEON AND PUZANT YACOUBIAN ALZARA THERMAL POWER STATION

### TO WHOM SO EVER THIS MAY CONCERN

# Letter of Proficiency regarding NDT services in favor of Akkila Testing Services & Protective Coating.

We, ATASSI - YACOUBIAN (Sub-Contractor) to Mitsubishi Heavy Industries Ltd and engaged in the execution of Mechanical and Electrical works for AL ZARA Thermal Power Station (3 x 220MW) under Contract No. 75Ext. (Between Mitsubishi and PEEGT), certify that Akkila Testing Services & Protective Coating is our Sub-contractor from April 1998 to December 2001, providing Non Destructive Testing Services and Post Weld Heat Treatment.

Furthermore, Messrs. Akkila's dark room and storage facility inside our site have been approved by Al Zara Power Plant and their technicians proved to be knowledgeable, reliable and performed a very good job meeting the requirements in time. He carried out his duties very sincerely with professional ability to conduct the testing and prompt reporting of the findings to the entire satisfaction of all concerned parties.

We have no hesitation to recommend their services to prospective customers

YHI. KODI

ATASSI - YACOUBIAN

77/2581

Eng. Fariz Atassi, Site Manager

Al Zara, 31 Dec. 2001

بابكوك بورسيغ باور

ويتش بابكوك انيسرجي وند اومفيلتيكنيك ايه. جي.

DEUTSCHE BABCOCK ENERGIE-UND UMWELTTECHNIK AG

Date: April 30, 2003

### **LETTER OF PROFICIENCY**

We hereby certify and confirm that AKKILA COMPANY LIMITED, Abu Dhabi Branch was our Subcontractor from February 2001 till to date for Al Taweelah Al Power Plant Project in Taweelah Area – Abu Dhabi – UAE.

AKKILA COMPANY LIMITED carried out the subcontract Works as scheduled and demonstrated professional ability to conduct welding and welders qualification, installing of structures and equipment, maintenance and painting and protective coating for different pipelines and flow lines in addition to different in plant piping works.

AKKILA COMPANY LIMITED employees have proved to be hard working, efficient, reliable and knowledgeable.

We have no hesitation in recommending AKKILA COMPANY LIMITED to carry out construction Operations for any other company that requires their vast array of services.

BABCOCK BORSIG POWER SERVICE

H. RAUKUTTIS PROJECT MANAGER



### بيكر استرن ش. أ إحدى مؤسسات شركة بيكر أويل تولس إنك BAKER EASTERN S.A. A SUBSIDIARY OF BAKER OIL TOOLS INC.

c/o Electra Trading Co.

P. O. Box 2537 Damascus - Syria Tel.: 3332800 - 3339999 - 3717307

Fax: 3335929

Telex: 411076 Moukil Sy

ع / طشركة الكترا

ص .ب ۱۹۱۷ دمستی ـ ستوریه هاتف : ۲۷۱۷۳۰۰ ـ ۳۳۳۹۹۹۹ ـ ۳۷۱۷۳۰۷

فاکس: ۳۳۳۰۹۲۹

تلکس : ٤١١٠٧٦ موکيل Sy

### To Whom It May Concern:

I Stan O'Neill Field Operation's Manager of the above company would like to inform you that the Akkila Testing Service Company under the direction of Haytham A.Akkila (General Manager) has been utilized to undertake the following workscope associated with equipment used in the oil and gas industry, that is part of Baker Eastern's supply to the Al Furat Petroleum Company.

- Non Destructive Testing (NDT) including Radiography Ultrasonics Thickness Testing Hardness Testing Magnetic Particle Inspection (MPI)
- Pipe Welding to ASME standards including the use of high tensile materials. Note: all equipment suitable for the use in a sour service environment.
- Post Heat Treatment to ASME standards.

All above work overseen by a Lloyd's Register inspector and any certificates, charts etc. countersigned and authenticated with the appropriate stamp.

Stan O'Neill (F.O.M.)

F.O.M.
BAKER EASTERN

EASTERN'S A

DEIR-EZ-ZOR SYRIA TEL.310847 FAX.310848



Our Reference: EBCL-LHD-25113-P00Z-L-0089

Date:

10 May 2006

Reply Required: No Reply by Date: N/A

Lahoud Engineering Co. Ltd. Lahoud Building 129 Charles de Gaulle Avenue Sin El Fil.

Attention:

Henri Korbani, Senior Project Manager

Subject:

Onshore Gas Development Phase III Project Subcontract No. 25113-000-HC3-P00Z-00003

Piping and Mechanical Erection

Proposed Painting Subcontractor (Akkila Co. Ltd.)

Reference:

Lahoud letter LEC/EBCL-25113-P00Z-L-00060,dated 19 April 2006

Dear Mr. Korbani.

Bechtel has reviewed the pre-qualification documentation for Akkila co. Ltd. and has no objection to Lahoud deploying them as its lower tier painting subcontractor for the works.

Lahoud must ensure the following:

- The applicable relevant clauses and sections of the subcontract with CONTRACTOR are passed to its lower tier subcontractor, including Lahoud's approved Project HSE and Quality manuals, for full compliance by the subcontractor.
- Full compliance with painting specifications.
- Utilisation of paint that is compatible with other associated coatings being used on the Project. Lahoud is hereby advised that Jotun Paints is the Project preferred paint supply.

Please provide an unpriced copy of the subcontract/agreement for Bechtel information and record.

Should you have any questions please do not hesitate to contact your subcontract administrator or myself.

Very truly yours,

OGD III Site Manager

WKC/DW/PM/CG/GM/pm

File:

CC:

K. Patterson; R. Hernandez

Attachments:

None

AHOUD ENGINEERING RECEIVED & MAY 2006

Sales, Marketing and Development

De Oude Visscher 25
1189 WL Amstelveen
The Netherlands

Tel.: +31 (0)297 582516/ mob.06-22450079

Fax +31 (0)297 582885

Production, Laboratory and Administration

Westelijke Randweg 9 (Havennr M 429)

4791 RT Klundert (Moerdijk)

The Netherlands

Tel: +31 (0)168 356500 Fax: +31 (0)168 380355

# TO WHOM IT MAY CONCERN

DBM Oil Field Chemicals has been working with Akilla Testing Services since 1995.

Together with this excellent company we have carried out various tank-cleaning projects in Syria and elsewhere.



G.C. Spruijt

D.B.M. Oil Field Chemicals a Joint venture of DBM Blending by and WRT by The Netherlands

Maraging Director.



# INDUSTRIALEXPORT S.A.

13 Dacia Blvd. 70185 Bucharest ROMANIA; Phone: (401) 211.89.05, 211.65.67; Telex 10052, 10930; Fax: (401) 211.62.11 211.25.01 211.23.02

Our reference: 13%

D-+- . 17 07 2000

### To whom it may concern

This is to certify that the company "AKKILA" - Homs - Syria have performed the X - ray tests of the welding of metal sheets up to 33 mm thickness, as well as, the testsing and services of three 2,000 cum. spherical tanks for the project: LPG Cylinder Filling Unit - Aleppo (Tayyara Site), within the contract No. 37.14.94E, signed by "Industrial export S.A." and "Syrian Company for Storage and Distribution of Petroleum Froducts - Mahrukat".

We, Industrial export S.A. and Mahrukat, are satisfied with the executed works, which are in accordance with the provisions of the contract, as well as, with international norms, codes and specifications.

Eng. Popescu Cornel

Deputy General Director





To Whom It May Concern

Damascus 30/10/2007

### Certificate

This is to certify that Messrs "Akkila Testing Services & Protective Coating" was working with us in Nasserieh & Zayzoun Combined Cycle Power Plants in Syria. Their proformance standard was very qualified by assiting us in executing this project.

Our Projects were composed of 3 gas turbine 100MW each (existing) + 3 HRSG (Nem boilers) + one steam Turbine (Siemens Turbine) 150MW.

Akkila Testing Services & Protective Coating Company, showed a professional manner of work and had a good communication skills in dealing with the others.

We wish them the best in their future career.

For further information, please do not hesiate to contact me.

Best regards.

lean Claude Hecht lanaging Director



Date: 19 February 2002

### TO WHOM IT MAY CONCERN

This is to certify that Akkila Testing Services has carried out NDT & Painting works for the below mentioned projects with outstanding qualities under the confinement of Lead Contracting & Trading Company – Syria.

Their job expertise comprised Radiographic Testing, Ultrasonic Testing, Magnetic Particle Testing, Dye Penetrate Testing and Painting works.

We were satisfied with the jobs he executed, which are in accordance with the provisions of the Contracts, as well as with the International norms, codes and specifications.

### 1991-1994

Managing inspection of major Oil and Gas Production and water flood facilities in the Syrian Arab Republic namely.

- **JAFRA Development Project**, Central Production Facilities, Gathering Station and 105 Km Gas transmission Pipeline.
- Brown Root International Omar Gas Plant & Gathering Station.
- SUEDROHRBAU GmbH & co. (SRB) ISBA Oil Facility Project
- Brown & Root International
  Two years Project of Inspection and Isolation of flow lines, more than
  100 Km of 6"and 8" Pipelines.





### • Suburbaine Int. France

Planned organized and implemented all inspection-related activities for foreign and domestic Project equipment and material. Trained qualified, supervise and evaluated all company source inspectors managed estimated and budgeted source inspectors and fabricated and manufactured equipment.

Acted as liaison between source inspectors, purchasing engineering and client.

### 1986-1988

### **Supervising Project Inspection:**

- Sijan Project flow lines of 6" and 12" for more than 150 Km
- Brown & Root International
- ElWard Project, Central production facility including 65 km and 16" pipelines.
- Brown & Root International Performed hands-on inspection of major items of equipment for the above mntioned projects concluded quality audits and man-hour expenditures.

He has also done NDT & Painting services for other similar projects in addition to above mentioned projects.





Lloyd's Register of Shipping & Industrial Services S.A. P. O Box 16084 Damascus SYRIA Telephone +963 (0) 11 6111357 Fax/Voicebox +963 (0) 11 6112214

Our reference: DMS 563/99

Date: 3 October 1999

### To whom it may concern

Dear Sirs,

# NON DESTRUCTIVE TESTING SERVICES AKKILA TESTING SERVICES COMPANY

This is to advise that The Akkila Testing Services Company has been used by contractors in The Syrian Arab Republic to undertake the non destructive testing of plant and equipment using radiography, ultrasonics, magnetic particle and dye penetrant techniques where Lloyd's Register of Shipping and Industrial Services S A has been the certifying authority.

In all cases the company staff performed their tasks in a proficient and competent manner.

It is our opinion that The Akkila Testing Services Company can be employed on any project which requires the above skills without reservation.

This statement is made without prejudice.

Country Manager Llovd's Register, Syria

### **MEMAC**

Mechanical Engineering & Maintenance Associated Company.

Date: Jul.05,1999 Ref: MM.Dam30

### To Whom It May Concern

Akkila Testing Services is a subcontractor to MEMAC providing NDT services for MEMAC's contract (56/98/S) with Al-Furat Petroleum Company (AFPC) to perform mechanical maintenance works and tanks cleaning services. This 3-year, 20 Million USD contract commenced on November 16, 1998 and encompasses a wide range of maintenance of OIL & GAS static facilities including welding, fabrication, flowline repair and construction, coating, cleaning, and relevant civil engineering works. This range of tests including RT, UT, DPI, and MPI.

Akkila Testing Services has been carring out this work for MEMAC reliably since the beginning of the contract and has demonstrated professional ability to conduct, analyze and report to MEMAC the findings of these services. Akkila's site, inside MEMAC's yard, has been inspected by AFPC and the Syrian Atomic Energy Authority and has been approved for this kind of work. Akkila's employees have proved to be hard workers, knowledgeable, reliable, and perform an excellent job within time and budget.

Ma'Amoun Ganama Chairman & CEO











### Mechanical Engineering & Maintenance Associated Co.

Damascus Office Flat 62 – Al Muhandiseen Bldg. Arnous Square. P. O. Box: 33002 – Tel: 332 0541 Fax: 332 0905

Damascus, February 20.2003

### Letter of Proficiency

We hereby would like to certify and confirm that AKKILA COMPANY LIMITED / SYRIA BRANCH was our Sub-contractor from 1999 and up till date for Al- Furat Petroleum Company, Maintenance Contract in Omar Field Area / Syria.

AKKILA COMPANY LIMITED carried out the sub-contract works as schedueled and demonstrated professional ability to conduct all welding and welders qualification, NDT methods testing activities and prompt reporting of the finding out and painting and protective coating for different pipelines and flowlines in addition to most of the plants piping works.

AKKILA COMPANY LIMITED employees have proved to be hard working, efficient, reliable and knowledgeable.

We have no hesitation in recommending AKKILA COMPANY LIMITED to carry out all Construction and NDT operations for any other company that requires their vast array of services.

Ma'amoun D. Ganama
Executive Director.

المتعاة للهنسة والصيانة



### TO W WHOM IT MAY CONCERN

I WOULD LIKE TO RECOMMEND TO YOU THE

### AKKILA TESTING SERVICES & PROTECTIVE COATINGS COMPANY

OVER THE PAST YEAR THIS COMPANY HAS SUPPLIED THE FOLLOWING SPECIALISED SERVICES . TO THE CONSTRUCTING ORGANIZATION BUILDING THE PALMYRA GAS PROJECT, FOR THE CLIENT THE SYRIAN PETROLEUM COMPANY

- 1. SAND BLASTING
- 2. PIPE COATING
- 3. TANK PAINTING
- 4. TANK FIBER GLASS LINING
- 5. INSULATION OF PIPE WORK
- 6. X. RAY ANALYSIS OF WELDING. (SHOOTING & INTERPRETING)
- 7. OTHER NON DESTRUCTIVE TESTING OF WELDS.
- 8. STRESS RELIEVING OF WELDS.

ALL OF THESE OPERATIONS BEING CARRIED OUT IN A TIMELY AND EFFICIENT MANNER.

I WOULD HAVE NO RESERVATIONS IN RECOMMENDING THIS COMPANY TO CARRY OUT ANY OR ALL OF THESE OPERATIONS FOR ANY OTHER CONSTRUCTION COMPANY

YOUR FAITHFULLY

KC/GODFREY

CONST. MANAGER LIMITED

ONDON SE11 SEH

# CERTIFICATE

Palmyra Gas Project

Penspen Limited

We cority AKKILA TESTING SERVICES

FOR KADIOGRAPHY AND COATINGS.

Worked on the Construction Phase to Achieve a Successful completion of the Project During 1995-1996.





Date: 23rd May 06

### To Whom It May Concern

This letter issued to inform and certify that Akkila Company Limited is our Sub-Contractor for Melut Basin Oil Development Project – Downstream at Palogue FPF Site / Sudan.

Akkila Scope of work contained but not limited to Three Crude Oil Storage Tanks, 60 m Dia, 18.5 m Height Floating Roof design and 13 No's of Oil and Water Tanks sizes between 6 m Dia up to 22.5 m Dia. Fixed Cone and Dome Roof design.

ACL work details were including the following:

- 1. Material receiving and handling at site.
- 2. Steel sheets fabrication and rolling.
- 3. Sandblasting and Paint coating.
- 4. Tanks steel erection and welding.
- 5. Tanks insulation.
- 6. Quality Control activities.
- 7. Tanks Hydro testing (Pre-commissioning).
- 8. Tanks closing and handing over.

We hereby certify that ACL completed the specified scope of work, performed high quality and professional management action in order to achieve very tight schedule for this strategic project.

Best regards

M.M. El-Hassan
For/ Ranhill – Petroneeds Joint Venture

10449, Pyramid Building, Al Syed Abdu Rahman Street, Khartoum West, Republic of Sudan

## EST. SALIM AL-KAMHA & SONS

General Trade

Date: 26/04/2007

### To whom It may Concern

This letter is issued to inform and certify that Akkila Company Limited is our sub-contractor for Two Base Oil Storage Tanks Project, Homs Refinery / Syria.

Akkila Scope of work contained but not limited to Tow base oil Storage Tanks sizes 12m height, 18m Dia, capacity 2300 m<sup>3</sup> fixed Cone and Dome Roof Design.

Akkila Company Limited work details were including the following:

- Civil works
- Electrical works
- Mechanical works
- Material receiving and handling at site
- Steel sheets fabrication and rolling
- Sandblasting and paint coating
- Tanks steel erection and welding
- Tanks insulation
- Quality control activities
- Tanks Haydro testing (Pre-commissioning)
- Tanks closing and handing over

We hereby certify that ACL completed the specified scope of work, performed high quality and professional management action in order to achieve very high schedule for this project.

All the best.

EST. SALIM AL-KAMHA & SONS

13 E JUN 2007

G. Al Kamha Managing Director Damascus \*

P.O. Box : 625 Damascus – Syria Tel.: +963 11 4442522 / 4446906 / 4459732 – Fax.: +963 11 4416537 / 2220867 e-mail: <u>kamha@net.sy</u>

Head Office: Mazraa - Shahbandar square



Pampusiaan 132, 1382 JR WEESP

The Netherlands

Tel: +31 (0) 294 - 433018 Fax: +31 (0) 294 - 417954

### To whom it may concern

Akkila Testing Service & Protective Coatings P.O.Box 915 Homs Syria

04-05-1998

### Dear Sir.

Herewith we would like to inform you that Akkila Testing Service & Protective Coatings worked on the Tankcleaning Project at pumpstation T4, located between Homs en Palmyra.

Akkila Testing Service & Protective Coatings installed and completed the whole system, needed to clean the 8000 ton sludge in Tank 206.

Akkila Testing Service & Protective Coatings constructed and supplied all pipe work and process related items.

Akkila Testing Service & Protective Coatings fitted, welded and X-rayed all system related weldings.

The whole system was painted and insulated after the necessary pressure tests on the process were done.

All work was executed in a short and very professional way.

It was a real pleasure to work with Mr. Akkila and his crew.

If you have any questions or require some more information about Akkila Testing Service & Protective Coatings, do not hesitate to contact us at the above mentioned address.

Best regards, SD Oil B.V.

G.C. Spruijt Managing Director





### DODSAL ENGINEERING & CONTRACTING SDN. BHD.

(Reg. No.: 370626-T)

Date

October 1st, 1998

Ref. No.

DEC/LOOP-1/L/K 539

Akila Testing & Protective Coatings

PO Box 915 Homs - Syria.

Attn.: Mr. Haitham Akila

Dear Sir,

Subject: CONTRACT FOR THE PCC OF THE NATURAL GAS & LIQUID

PIPELINES FOR PENINSULAR GAS UTILIZATION PROJECT LOOP-1

GAS TRANSMISSION SYSTEM.

- PGU LOOP 1 Gas Pipeline Performance

Akila Testing Service and Protective Coatings has been constructing the PGU Loop-1 Pipeline, a 36 inch gas pipeline in western Malaysia for Petronas Gas Berhad.

As you are aware, Mr. Haitham Akila, through his extraordinary efforts on this Project, has been a major influence in enabling this Project to make a turn around and it is now possible to get back on the original schedule.

Dodsal Management wishes to thank your Company for the efforts put forward in helping us to satisfy our client's needs in a most professional and efficient manner.

As an International Company, Dodsal has projects worldwide, Oman, UAE, Qatar and are bidding in other International locations and would look forward to joining hands again on other projects if the occasion and project would permit.

Again we wish to thank your Company and Mr. Haitham Akila for the outstanding performance of all of your personnel.

Regards

Vice President Operations

Dubai - UAE



Fujairah 22 February 2003

### LETTER OF PROFICIENCY

We hereby would like to certify and confirm that AKKILA Company Ltd. was our sub-contractor from August 2002 till March 2003 for the Fujairah Water & Power Project (Pipelines) in Fujairah and Al Hayer - U.A.E.

AKKILA Company Ltd. has carried out all welding operation in accordance with a very tight time schedule. They have demonstrated professional ability to conduct all welding operation which includes preparation of repair welding procedures, welder qualification, repair welding, welding supervision and documentation on helical seam pipes of material grade X70 and X42 with an diameter of 64" (1600 mm) and a wall thickness of 14.27 and 12.7 mm in accordance with API 5L, API 1104, ASME IX and applicable Project Procedures and Specification.

Their employees have proved to be hard working, efficient, reliable and knowledgeable. ÁKKILA Company Ltd. also has demonstrated their capability in preparation, maintaining of traceability and accuracy of necessary quality records and reports.

We have no hesitation to recommend AKKILA Company Ltd. to carry out all Welding Operations for any other company that requires their vast array of services.

7

echnip Germany

Leo Maas
Vice President
Head of Corporate Quality
and Risk Management



DATE: 27.12.95

To Whom It May Concern;

Titan Projects would like to acknowledge the very organized and professional services that were supplied by the Akkila Testing Services for the Palmyra Gas Project. Mr. Haytham Akkila"s company worked very Safely and Efficiently during the NDT testing for the 24" Pipeline and the 3 GGS Station. I am sure that without his organizing and aggressive nature to complete the work, we would not have been able to complete Phase 1 in the specified time. ATS were responsible for the internal coating of 15 Tanks on the project which were completed withth no problems or incidents.

Mr. Akkila ensures his people are aware of the work to be done and the most proficient method of performing the tasks safely. Mr Akkila has a vast spectrum of experience and is very willing to share his knowledge to help the project progress.

I highly recommend the AKKILA TESTING SERVICES & PROTECTIVE COATINGS Company for any projects that require his vast array of services.

MR. WAYNE SCHILLING CONSTRUCTION MANAGER & COORDINATOR PALMYRA GAS PROJECT

TITAN PROJECTS/, CALGARY AB. CANADA







# CERTIFICATE OF PROFICIENCY

This is to certify that AKKILE TESTING SERVICES & PROTECTIVE

COATING, has successfully carried out all NDT and coating PE and PP for

ASAB / THAMAMA GAS INJECTION PILOT PROJECT in a period between

21.03.2001 to 10.02.2002.

In addition they had also carried out Steel Structure and Vessels

Painting works.

We certify that AKKILE TESTING SERVICES & PROTECTIVE COATING,

applied a very high level of proficiency and co-ordination to the successful

completion of the mentioned project.

TMC Managing Director Fares Turkmani



أبوظبي /أ.ع.م. ص.ب:١٢١٤ – تلفون:٩٨٩ ٢ ١٧٧١ ٢ (خطين) – فاكس:٧٨٤٤٤٢٢ ٢ ١٩٩١